| (man | | |
|----------|--------|--|
| S | Permit | |

MICHIGAN WATER RESOURCES COMMISSION

PERMIT TO DISCHARGE



In compliance with the provisions of the Michigan Water Resources Commission Act (Act 245, Public Acts of 1929, as amended).

| Box 30028, Lansing, Michigan 48909, Phone: | es located in the Stevens T. Mason Building, (517) 373-1947. Questions concerning Office located at |
|---|---|
| NAME TRW The Michigan Div and NAME | |
| Address 902 Lyons Road Addr | |
| Potland Michigan | E33 |
| (Applicant) | (Governmental Unit) |
| (are)-(is) authorized to discharge from a f | acility located at |
| 902 LYONS Rd. TGN-RSW PORTLAND, IONIA PORTLAND | (Street Address) (Section T R) (Township,County) (City) |
| to the groundwaters (at) (in) | (Street Address) (Section T R) (Township, County) (City) |
| in accordance with effluent limitations, moset forth in Parts I and II of this permit. | |
| This permit shall become effective on the d | ate of issuance. |
| This permit and the authorization to discharge in the date of expiration, the permitter as are required by the Michigan Water Resource prior to the date of expiration. | r to receive authorization to discharge e shall submit such information and forms |
| This permit is based on the company's appliand shall supersede any and all Orders of Dorders of Determination previously adopted | etermination, Stipulation or Final |
| Issued this day of Water Resources Commission. | , for the Michigan |
| | Robert J. Courchaine Executive Secretary |

STATE OF MICHIGAN

WATER RESOURCES COMMISSION

PERMIT NO.

| NAME T.R.W., Michigan Division and | NAME |
|---|---|
| ADDRESS 902 Lyons Road | ADDRESS |
| Bothood, Michigan | |
| T.R.W. Mieligan Division (Name) | (Governmental Unit) |
| 902 Lyons Rope (Name) | |
| Portland, Michigan (Address) | |
| Michigan (has) (have) filed with the Michigan Wat dated October 18,1978 for a permit to dis of the State. The application states that (Name Division) Portland | er Resources Commission an application charge treated wastewater to the waters and Address) 7. P.W., Michigan |
| Michigan, (proposes to) dispose(s) of approximate | ly fine handred Floward (200,000) gallons per day of |
| Now contact cooling water and twented & | resease and desorbed sanitary mastis |
| from a Stoming Component MANUFACTURE | |
| into the ground from its facilities (located) (-to | at Portland, |
| Michigan. | |
| The applicant, (Name) T.P.W. Ive, Mich | igan Division |
| (are) (is) authorized, for the duration of this p to the groundwaters of the state in Section (28), $T(6)(N)$, $R(5)(W)$, (Fo County, in accordance with the conditions specific supersede the conditions and restrictions of Order | ermit, to discharge treated wastewater Township, (2000) ed herein. Said conditions shall |

| 1 | . F | ina | 1 | Li | mi | ta | ti | ons |
|---|-----|------|---|----|----|----|----|-----|
| | . 1 | 1 na | 1 | 6 | mi | ta | ti | |

| and lasting until | Tod begin | ining wi | The PERI | MIT 1534 | ANCO | - Deliver Andrew Description of the Party of |
|--|--|------------|-----------|---------------|----------------|--|
| and lasting until | DERMIT | 67/0/1217 | (AA) | | | , |
| the permittee is auth | orized to | | 1400 | Green Strong | Mongood | (800,005) |
| | | 9 | allons be | er day of The | angred freecos | s And SAvitary |
| wastes and cooling | white. | 5 | trom outf | all | 100 | |
| _ | Share and | | | scharge sha | 11 be limite | d and |
| monitored by the perm | ittee as | specified | below: | | | |
| | | | | | | |
| | Di | scharge Li | mitations | | | |
| | kg/day | (lhs/day) | Other L | imitations | Monitoring | Requirements |
| Effluent | Daily | Daily | Daily | Daily | Measuremen | t Sample |
| Characteristic | Aver. | Max. | Aver. | | Frequency | |
| and the same of th | Control of the Contro | | | | | terminal designation of the second |
| Flow M3/day (MG) |) - | - | - | gare | Westely | |
| | | | | | | |
| Suspended Solids | | | 20.010 | angelo | 10)000/11 | at he comp. |
| secoperated sures | ABANDA | - | dong/2 | SORGILE | westry | at we cong. |
| Oil And GRAMSE | | | | | | |
| | pane. | | eir- | page | Westerly | GRAD |
| Total phosphoeous | | | | Ji | | Genb 24 ha comp. |
| | 400 | 460 | 4000 | 1M9/0 | 10 Jack | 24 ha comp. |
| FORM/ Collform | | | | Cherry | | 4 1 |
| - Service Conf | - Con- | - | | 200 et/100ml | weekly | Gans |
| | | | | | 000 | - |

The term noncontact cooling water shall mean water used for cooling which does not come into direct contact with any raw material, intermediate product, by-product, waste product, or finished product.

- a. The pH shall not be less than 6.5 nor greater than 9.5. The pH shall be monitored as follows: worth: and
- b. The discharge shall not contain any other substances in amounts which are or may become injurious to any uses of the waters of the state.
- c. The discharge shall not contain oil or other substances in amounts sufficient to create a visible film on the seepage ponds.
- d. Samples taken in compliance with the monitoring requirements above shall be taken the the discharge of the their lagon to the Swamp.

e. In the event the permittee shall require the use of water treatment additives, the permittee shall notify the Michigan Water Resources Commission in accordance with the requirements of Part II, Section A-1.

C. MONITORING AND REPORTING

1. Representative Sampling

Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge.

2. Reporting

The permittee shall submit monitoring reports on forms provided to the Chief of the Water Quality Division containing the results obtained during the previous month. Such reports shall be postmarked by no later than the tenth (10th) day of the month following each completed report period. The first report shall be submitted within 90 days of the date of issuance of this permit.

3. Definitions

- a. The daily average discharge is defined as the sum of all samples by weight or concentration if specified, during the calendar month divided by the number of samples in the month.
- b. The daily maximum discharge means the total discharge by weight or maximum concentration if specified, during any calendar day of the reporting period.

4. Analyses of Samples

The analyses performed to meet the terms of this permit shall be performed in accordance with the procedures set forth in the specified reference. The accepted references are as follows:

a. Standard Methods, meaning

Standard Methods for the Examination of Water and Wastewaters, 14th Edition, American Public Health Association, New York, N.Y. 10019

b. ASTM, meaning

1976 Annual Book of A.S.T.M. Standards, Part 31, Water Edition, American Society for Testing and Materials, Philadelphia, PA 19103

c. EPA Methods, meaning

Methods for Chemical Analysis of Water and Wastes, April 1974, Environmental Protection Agency, Water Quality Office, Analytical Quality Control Laboratory, 1014 Broadway, Cincinnati, OH 45202

d. Alternate methods may be used where the same has been approved in writing by the Chief of the Water Quality Division of the Department of Natural Resources.

5. Recording of Results

For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall record the following information:

- a. The exact place, date and time of sampling.
- b. The dates the analyses were performed.
- c. The person(s) who performed the analyses.
- d. The analytical techniques or methods used.
- e. The results of all required analyses.

6. Additional Monitoring by Permittee

If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit, using approved analytical methods as specified above, the results of such monitoring shall be included in the calculation and reporting of the values required in the Monthly Operating Report. Such increased frequency shall also be indicated.

7. Records Retention

All records and information resulting from the monitoring activities required by this permit, including all records of analyses performed and calibration and maintenance of instrumentation and recordings from continuous monitoring instrumentation shall be retained for a minimum of three (3) years.

- The permittee shall submit a plan including a construction and implementation schedule to fulfill the requirements of Part II A 2 (Containment Facilities) of this permit and receive approval on or before

 Upon completion of construction of the containment facilities and implementation of the procedures the permittee shall within 14 days certify in writing to the Chief of the Water Quality Division that the same was accomplished in accordance with the approved plan.
- 2. The permittee shall comply with the Power Failure requirements contained in Part II A 9(a) and 9(b) of this permit in accordance with the following schedule. All submittals shall be forwarded to the Chief of the Water Quality Division for approval.
- a. Submit plans for Alternate Power Sources or such other control procedures which will comply with the Power Failure requirements on or before
- b. Install such approved equipment or implement such other approved control procedures to comply with the Power Failure requirements on or before

 3. Upon completion of installation of approved equipment the same shall be reported in writing within 14 days to the Chief of the Water Quality Division. Notwithstanding the preceding sentence, the permittee shall at all times halt, reduce or otherwise control production in order to protect the waters of the State

of Michigan upon the reduction or loss of the primary source of power.

4. No later than 14 calendar days following a date identified in the above schedule of compliance, the permittee shall submit either a report of progress or, in the case of specific actions being required by identified dates, a written notice of compliance or noncompliance. In the latter case, the notice shall include the cause of noncompliance, any remedial actions taken, and the probability of meeting the next scheduled requirement.

RECEIVED

FEB 26 1979

WATER QUALITY DIV.

February 21, 1979

TRW Inc.-Michigan Div. 902 Lyons Road Portland, MI 48875

Gentlemen:

Receipt of your discharge permit application describing your existing use of the waters of the state for waste disposal purposes is acknowledged. It has been assigned to Mr. Chester Harvey, our District Engineer, for investigation. Any restriction upon this use found to be necessary will be written into a proposed permit to discharge in accordance with the requirements of Section 8b, Act 245, Public Acts of 1929, as amended and the Commission's Part 21 Rules.

You will be contacted by one of our representatives during the course of our investigation and will be given an opportunity to review the permit prior to issuance. Should you wish to make further inquiry during the processing of your application, please get in touch with Mr. Harvey of our Grand Rapids office, phone (616) 456-6231.

Very truly yours,

WATER QUALITY DIVISION

Robert J. Courchaine Division Chief

By: Karl Zollner, Jr., P.E. Chief Engineering & Technical Services Section

RJC/KZ:tkr
cc: Ionia Co. Health Dept.
C. Harvey
Geology Div., DNR
City of Portland, Clerk

RECEIVED

OCT 23 1978

WATER QUALITY DIV.

October 17, 1978

Department of Natural Resources State of Michigan Office Building 350 Ottawa Avenue, N.W. Grand Rapids, Michigan 49503

Attn: Chester Harvey, District Engineer

Dear Mr. Harvey,

Enclosed please find our completed application for a permit to discharge in order to convert from a stipulation document to a ground water permit.

Sincerely,

Keith Patterson, Mgr. Industrial Engineering

KP: jam

Enclosure

MICHIGAN DIVISION OF TRW INC. . PORTLAND WORKS . 902 LYONS ROAD . PORTLAND, MICHIGAN 48875 AREA CODE 517 . TELEPHONE

DEPARTMENT OF NATURAL RESOURCES


DISC

| DISCHARGE PERMIT APPLICATION | 450 |
|--|------|
| Please print or type. The last page of this application contains a list of instructions and other important information. Please read the last page carefully before completing this? | 590. |
| application. | 21 |

| APPLICATION FOR (Check | one): | | | 11. 1014 | |
|--|---|------------------------------|---|--|----------------------|
| X Existing Discharge | | New Dischar | rge | - Lander | Discharge |
| lame of Applicant | | | | Telephone No. | |
| | CHIGAN DIVISIO | ON - PORTLAND I | PLANT | (517) 647-4 | 121 |
| No. and Street | | | City | State and Zip Code | |
| 902 LYONS ROAD | | | PORTLAND | MICHIGAN | 468 |
| a) TYPE OF LEGAL ENTI | TY (Check one): | | 303 | | |
| Sole Owner | XX Corporation | Pertnership | | If incorporated, indic | ete state in ATION a |
| | | | | MICHIG | |
| Governmental Unit | L N | on Profit Organization | | | |
| b) TYPE OF PROPOSED E | NTERPRISE (Check o | ne); | | | |
| A. Municipal Waste | water, School, Trailer P | erk | X C. Manufacturing | and Mining | |
| | | | | | |
| B. Agricultural, Inc | luding Fish Farms | | D. Wholesare and | Retail Trade, Other Comme | cial Ested sements |
| c) DESCRIPTION OF PRO | POSED ENTERPRISE | | | | |
| | | | | | |
| d) LOCATION OF PROPO | SED ENTERPRISE | | | | |
| Street Address | | | City or Val | laça | |
| 902 LYONS I | ROAD | | Pa | RTLAND | |
| 902 LYONS I | ROAD Town | onip ORTLAND | | RTLAND Range | 5•:t- 28 |
| 902 LYONS I | ROAD Town | ORTLAND | Town | RTLAND Range | |
| 902 LYONS 1 County IONIA COURCE OF WATER (Exer | ROAD Town | ORTLAND | Town | RTLAND Renge R. 5W | |
| 902 LYONS I OUNTY IONIA COURCE OF WATER (Exer | ROAD Town | ORTLAND municipal supply): | Town T. 6N | RTLAND Renge R. 5W | 28 |
| 902 LYONS 1 902 LYONS 1 FOURCE OF WATER (Example Cooling and Coo | ROAD Town P nple: private well, river, | ORTIAND municipal supply): | Town T. 6N | RTIAND Range R. 5W 201/day) 50,600/da | 28 y |
| 902 LYONS I OURCE OF WATER (Exer PROCESS WATER MUI COURING AND CONDENSING MUI | ROAD Town P | ORTIAND municipal supply): | Town T. 6N | RTLAND Renge R. 5W 19/(day) 50,600/da 23,000/da | 28 |
| 902 LYONS 1 902 LYONS 1 FOURCE OF WATER (EXERPROCESS MATER MUST COOLING AND CONDENSING MUST DOMESTIC | ROAD Town P nple: private well, river, | ORTLAND , municipal supply): | Town T. 6N | RTLAND Renge R. 5W 19/(day) 50,600/da 23,000/da | y average |
| 902 LYONS 1 COUNTY IONIA COURCE OF WATER (Exer PROCESS WATER COOLING AND CONDENSING MUI CONDENSING MUI CONTER | ROAD Town P nple: private well, river, nicipal Supply | ORTLAND , municipal supply): | Town T. 6N | RTIAND Range R. 5W So.,600/da 23,000/da 23,000/da 18,400/da | y average |
| 902 LYONS 1 FOURCE OF WATER (Example of the control of the contro | ROAD Town P nple: private well, river, nicipal Supply nicipal Supply nicipal Supply | ORTLAND , municipal supply): | Amount (g | RTIAND Range R. 5W So.,600/da 23,000/da 23,000/da 18,400/da | y average |
| 902 LYONS 1 902 LYONS 1 FOURTY IONIA GOURGE OF WATER (Exer PROCESS WATER MUI CONDENSING MUI OTHER Specify) PROPOSED LOCATION OF | ROAD Town P nple: private well, river, nicipal Supply nicipal Supply nicipal Supply | ORTLAND , municipal supply): | Amount (g | RTLAND Range R. 5W 50,600/da 23,000/da 23,000/da 23,000/da 23,000/da | y average |
| 902 LYONS 1 902 LYONS 1 FOURTY IONIA SOURCE OF WATER (Exer PROCESS WATER MUI COOLING AND CONDENSING MUI OTHER Specify) PROPOSED LOCATION OF PROCESS WATER | ROAD Town P nple: private well, river, nicipal Supply nicipal Supply nicipal Supply | ORTLAND , municipal supply): | Amount (g Amount (g Amount (g) Amount (g) Amount (g) Amount (g) Amount (g) | RTLAND Range R. 5W 50,600/da 23,000/da 24/day) 18,400/da 24/day) 24/day) | y average y |
| 902 LYONS 1 FOURCE OF WATER (Exer- PROCESS WATER MUI COUNTING AND CONDENSING MUI COMMESTIC NATER MUI PROPOSED LOCATION OF PROCESS PROCESS WATER COOLING AND COMMESTIC PROPOSED LOCATION OF PROCESS WATER COOLING AND | mple: private well, river, nicipal Supply nicipal Supply nicipal Supply waste Discharge | ORTLAND , municipal supply): | Amount (s Amount (s) | RTLAND Range R. 5W 50,600/da 23,000/da 24/day) 18,400/da 24/day) 24/day) | y average y |
| 902 LYONS 1 902 LYONS 1 FOURTY IONIA GOURCE OF WATER (Exer PROCESS WATER MUI OTHER Specify) PROPOSED LOCATION OF PROCESS WATER COUNTY PROPOSED LOCATION OF PROCESS WATER COUNTY PROPOSED LOCATION OF PROCESS WATER COUNTY COUNTY PROPOSED LOCATION OF PROCESS WATER COUNTY COUNTY PROPOSED LOCATION OF PROCESS WATER COUNTY COUNTY COUNTY PROPOSED LOCATION OF PROCESS WATER COUNTY COUNTY COUNTY PROPOSED LOCATION OF PROCESS WATER COUNTY CO | ROAD Town P nple: private well, river, nicipal Supply nicipal Supply nicipal Supply MASTE DISCHARGE | ORTLAND , municipal supply): | Amount (g Amount (g Amount (g) Amount (g) Amount (g) Amount (g) Amount (g) | RTLAND Range R. 5W 50,600/da 23,000/da 24/day) 18,400/da 24/day) 24/day) | y average y |
| IONIA SOURCE OF WATER (Exer PROCESS WATER MUI COOLING AND COOLING AND CONDENSING MUI DOMESTIC WATER MUI OTHER (Specify) | mple: private well, river, nicipal Supply nicipal Supply nicipal Supply waste Discharge | ORTLAND , municipal supply): | Amount (g Lagoons - 5() Amount (g Lagoons - 5) | (a)/day) (a)/day) (a)/day) (b)/day) (c)/day) (c)/da | y average y |

| - Collection of Wastes - Sludge from the Clarifier - Oil Removal pumped to a sludge drying | 12. FOLLOWING IS | A LIST OF CRITICAL MATERIALS. TAL TO YOUR OPERATIONS. | PLEASE INDIC | ATE THE AM | OUNT OF THESE MATERIALS USED, | OR PROPOSED TO |
|--|-------------------------------------|---|------------------------|---------------|--|-------------------|
| P.H. Adjustment near to the clarifier | | | #1* | 2* | | T#1* |
| - Sus. Solids Removal | I. INORGANIC MATERIALS | | AMOUN' | (lbs/yr) | NAME | AMOUNT TE |
| - Through Chemical additions & clarification | MATERIALS | Principality | | | Mercury | |
| - Ferric chloride and a polymer are added to | | Arsonic | | | Nickel | |
| the storage tanks | | Cedmlum | | | Selenium | |
| DIESCH PTION OF EXPECTED CHARACTERISTICS OF WASTE AFTER TREATMENT (Bacterial, physical, chemical, other): | | Chromium | 11# | 11# | Silver | |
| A STATE OF THE PARTY OF THE PAR | | Copper | | | Sulfides | |
| DUAY DA ALLOU | LTS | Cyanides | | | Thallium | |
| Suspended Solids (mg/l) 35 25 (17, 11) | . 1 | Lead | | 1 | Zinc | 162# 5 |
| Oil & Grease (mg/l) 15 (7, 4) | | | - | | | - |
| ph (S.U.) not < 6.5 nor >9.0 (7.7, 7.6) | II. ORGANIC | NAME | AMOUN | T (lbs/yr) | NAME | AMOUNT LE |
| | MATERIALS | Acridine | | 1 | Hexachiorobenzene (HCB) | |
| COCLING AND List All Additives | | Acrolein . | | | Hexachiorobutadiene (HCBD) | |
| CONDENS NO WATER Poly-Bromide @ 3-5 P.P.M. | | Aldrin | 1 | | Hydroquinone | |
| ANTICIPATED Max. Summer 80 of Max. Winter 45 of ANTICIPATED Ave. Winter 6 | 8 05 | Ammonia | | | Isoprene | |
| TEMPERATURE AVE. WINTER | - P | Amyl Acetate | | | Lectoritrie | |
| CE O SCHAPGE Ave. Summer 73 OF Ave. Winter 37 OF OF INTAKE: Ave. Summer 7 | 0 , of | Anttines (inci, Benzidines) | | | Masitylene | |
| SANTARY | | Banzaldanyde | - | | | |
| SEWAGE | | Benzene (Solvent) | - | | Mesityi Oxide | - |
| TT-SR (Specify) | - | Benzere (Solvent) | | | Naphholic Acid (Naphhalena) | |
| | | Beta Propriolactone | - | - | the second secon | |
| | | | | | Nitrobenzenes | |
| | | Butyl Alcohol | | | Phenolic Compounds | 66# |
| | | Butyraldehydes | | | Phenanthrene | - |
| DISTANCE OF TREATMENT FACILITIES FROM NEAREST WELL: | | Butyric Acid | | | Phthalates | |
| Approx. Approx. | | Carbon Disuifide | | | Picramates (nitro-phenois) | |
| PRIVATE WELL 1120 FEET MUNICIPAL WELL 3000 EET | | Chlorinated Benzene Compounds | | | Polychiar nated biphenyls (PCB'S) | |
| MONICIPAL WELL TARE TO THE TARE THE TAR | | Crotonaldahyda | - | | Pyridines | <u> </u> |
| F SUBSURFACE DISPOSAL OR OXIDATION POND IS PROPOSED, NEAREST APPLOX. FEET | | Cumene | | | Quinoline | 9# |
| STANCE TO A SURFACE WATERCOURSE: | | DOT | | | Quinone | 1 |
| | | Dichloropropane | | | Styrene | |
| IF DISCHARGE IS TO UNDERGROUND BY INJECTION WELL, INCLUDE COMPLETE DATA AS TO DEPTH AND DIAMETER OF WELL | | Dieldrin | | | Tordon | |
| | | Diethylbenzene | | | Toxachene | |
| AND DETAILS OF CONSTRUCTION, DATE OF DRILLING, SCREEN DATA, AND PROPOSED OPERATIONS OF INJECTION WELL ON | ASEPARATE | Endrin | | | Vinyl Toluene | |
| FLY SHEET. | | Ethyl Acrylate | | | Xylenes | |
| | | Heptachlor | | | 2-4-5 T (and its formulations) | 1 |
| | | EDTA | 18# | 5# | *#1=Purchasod/year | |
| 2/5/ to herewith, either by drawing in the space below or by attaching a USGS map or county map with appropriate marking, each proposed discipliness westers, cooling waters or senitary westers. | charge point for | nce with Section 8 (b), Act 245, Public | Acts of 1929 as | arranded | *#2=Discharged/year | |
| | Signature of Applica | | io -18-7 | 9 14 0 | nership, Signature of Co-Owner | Date |
| See attached drawing & map | Print or Type Applic | cant's Name and Title | | Print | r Type Co-Owner's Name | |
| | Keith Patte | erson, Mgr. Industrial E | ngineering | | | |
| | developments in an authorized in | nto a system other than an approved municipal official or township office | municipal sanit er. | ary waste col | apartment buildings, shopping centilection system, the following should be | completed and sig |
| | government inclined the local | jude the local government as a co- | signer of the s | tatement, an | d that all proceedings and hearings a mits issued as a result of such hearing | gainst the sau e |
| NAMES AND ADDRESSES OF PROPERTY OWNERS ADJACENT TO PROPOSED ENTERPRISE | Signature of Author | rized Local Government Representative | | Mailin | g Address of Local Government Represen | tative |
| City of Portland - City Hall - 259 Kent Street - Portland, Michigan 48875 | Print or Type Name | of Local Government Representative | | - | | |
| C & O Railroad - One Northland Plaza - Southfield, Michigan | Title | . 0. | ite | | | |
| Industrial Park - Owned by Fred Vogt of Jacksonville, Florida | | | | | | |

NO PROPOSED TREATMENT OR CONTROL FACILITIES:



PORTLAND, MICHIGAN

FISHBECK-THOMPSON

GARR & HUBER, ING.

CONSULTING ENGINEERS 1500 EAST BELTLING S.E.

| REVISIONS | 87 | DATE | Drawn |
|-----------|------|------|------------------|
| | | | 10 L.H |
| | | | Date |
| | | | 11-5-81 |
| | | | Approved as F.W. |
| | | | F. W. |
| | Dete | | 11-5-81 |